

Cancel claims 2-4, 8-10 and 15-17.

---

1. (Amended) A method of rendering an image comprising the steps of:

mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object;

moving said plurality of semitransparent textures simulatively in an arbitrary direction; and

remapping the plurality of semitransparent textures, which have been moved, onto said respective surfaces of the plurality of semitransparent or transparent polygons which make up said object,

wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

---

5. (Amended) A method according to claim 1, wherein said moving step further comprises the step of arranging said plurality of semitransparent or transparent polygons in one or more multiple layers.

6. (Amended) A method of processing an image, comprising the steps of:

storing a plurality of texture images in a texture rendering area of an image memory;

storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

mapping the texture images respectively onto said polygons;

moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area; and

remapping the moved texture images respectively onto the polygons stored in said display rendering area,

wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

7. (Amended) An apparatus for rendering an image comprising:

texture mapping means for mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object;

texture moving means for moving said plurality of semitransparent textures simulatively in an arbitrary direction; and

texture remapping means for remapping the plurality of semitransparent textures, which have been moved, onto said respective surfaces of the plurality of semitransparent or transparent polygons which make up said object,

wherein said texture moving means moves at least one of said plurality of semitransparent textures in a different direction from another one of said plurality of textures.

---

11. (Amended) An apparatus according to claim 7, wherein said rendering means comprises:

object setting means for arranging said plurality of semitransparent or transparent polygons in one or more multiple layers.

12. (Amended) An apparatus for processing an image, comprising:

texture rendering means for storing a plurality of texture images in a texture rendering area of an image memory;

image rendering means for storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

texture mapping means for mapping the texture images respectively onto said polygons;

texture moving means for moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area; and

wherein said texture mapping means comprises means for remapping the moved texture images respectively onto the polygons stored in said display rendering area, and

wherein said texture moving means moves at least one of said plurality of semitransparent textures in a different direction from another one of said plurality of textures.

A3  
CONT

13. (Amended) A recording medium storing a program and data, said program comprising the steps of:

mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object;

moving said plurality of semitransparent textures simulatively in an arbitrary direction; and

remapping the plurality of semitransparent textures, which have been moved, onto said respective surfaces of the plurality of semitransparent or transparent polygons which make up said object,

wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

---

A4

17. (Amended) A recording medium according to claim 13, wherein said moving step further comprises the step of arranging said plurality of semitransparent or transparent polygons in one or more multiple layers.

18. (Amended) A recording medium storing a program and data, said program comprising the steps of:

storing a plurality of texture images in a texture rendering area of an image memory;

storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

mapping the texture images respectively onto said polygons;

moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area; and

remapping the moved texture images respectively onto the polygons stored in said display rendering area,

wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

19. (Amended) A program which can be read and executed by a computer, comprising the steps of:

mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object;

moving said plurality of semitransparent textures simulatively in an arbitrary direction; and

remapping the plurality of semitransparent textures, which have been moved, onto said respective surfaces of the plurality of semitransparent or transparent polygons which make up said object,

wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

20. (Amended) A program comprising the steps of:

storing a plurality of texture images in a texture rendering area of an image memory;

storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

mapping the texture images respectively onto said polygons;

moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area; and

A4  
cont.

remapping the moved texture images respectively onto the polygons stored in said display rendering area,

wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

---

Add the following new claims:

---

21. A method according to claim 1, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in more than one direction.

22. A method according to claim 6, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in more than one direction.

23. An apparatus according to claim 7, wherein said texture moving means moves at least one of said plurality of semitransparent textures in more than one direction.

24. An apparatus according to claim 12, wherein said texture moving means moves at least one of said plurality of semitransparent textures in more than one direction.

25. A recording medium according to claim 13, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in more than one direction.

26. A recording medium according to claim 18, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in more than one direction.

27. A program according to claim 19, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in more than one direction.

28. A program according to claim 20, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in more than one direction.

29. A method of rendering an image comprising the steps of:

mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object; and

moving said plurality of semitransparent textures simulatively in an arbitrary direction.

30. A method according to claim 29, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

AS  
cont.  
31. A method according to claim 29, wherein said moving step further comprises the step of arranging said plurality of semitransparent or transparent polygons in one or more multiple layers.

32. A method of processing an image, comprising the steps of:

storing a plurality of texture images in a texture rendering area of an image memory;

storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

mapping the texture images respectively onto said polygons; and

moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area.

33. A method according to claim 32, wherein in said moving step, at least one of said plurality of semitransparent textures

is moved in a different direction from another one of said plurality of textures.

34. An apparatus for rendering an image comprising:

texture mapping means for mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object; and

texture moving means for moving said plurality of semitransparent textures simulatively in an arbitrary direction.

35. An apparatus according to claim 34, wherein said texture moving means moves at least one of said plurality of semitransparent textures in a different direction from another one of said plurality of textures.

36. An apparatus according to claim 34, wherein said rendering means comprises:

object setting means for arranging said plurality of semitransparent or transparent polygons in one or more multiple layers.

37. An apparatus for processing an image, comprising:

texture rendering means for storing a plurality of texture images in a texture rendering area of an image memory;

image rendering means for storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

texture mapping means for mapping the texture images respectively onto said polygons; and

texture moving means for moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area.

38. An apparatus according to claim 37, wherein said texture moving means moves at least one of said plurality of

semitransparent textures in a different direction from another one of said plurality of textures.

39. A recording medium storing a program and data, said program comprising the steps of:

mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object; and

moving said plurality of semitransparent textures simulatively in an arbitrary direction.

40. A recording medium according to claim 39, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

As

41. A recording medium according to claim 39, wherein said moving step further comprises the step of arranging said plurality of semitransparent or transparent polygons in one or more multiple layers.

42. A recording medium storing a program and data, said program comprising the steps of:

storing a plurality of texture images in a texture rendering area of an image memory;

storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

mapping the texture images respectively onto said polygons; and

moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area.

43. A recording medium according to claim 42, wherein in said moving step, at least one of said plurality of



semitransparent textures is moved in a different direction from another one of said plurality of textures.

44. A program which can be read and executed by a computer, comprising the steps of:

mapping a plurality semitransparent textures onto respective surfaces of a plurality of semitransparent or transparent polygons which make up an object; and

moving said plurality of semitransparent textures simulatively in an arbitrary direction.

AS 45. A program according to claim 44, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

46. A program comprising the steps of:

storing a plurality of texture images in a texture rendering area of an image memory;

storing a plurality of polygons in a display rendering area of said image memory based on at least said texture images;

mapping the texture images respectively onto said polygons; and

moving the texture images stored in said texture rendering area in an arbitrary direction and restoring the moved texture images in said texture rendering area.

47. A program according to claim 46, wherein in said moving step, at least one of said plurality of semitransparent textures is moved in a different direction from another one of said plurality of textures.

---